

# Raccordi Rapidi CAM LOCK

Tabella Dimensioni Attacchi Rapidi CAM LOCK



Filetto	Diametro interno Femmina	Diametro Esterno Maschio	Diametro Esterno Maschio portagomma
1/2"	25	24	16
3/4"	32,5	32	21
1"	37,5	37	26
1"1/4	45	45	34
1"1/2	55	54	42
2	64	63	52
2"1/2	77,5	76	68
3"	93	91,5	80
4"	121	119	103

1850A | Raccordo Maschio Rapido con filetto Femmina



CODE	Rapido	Filetto Gas	Note
1850A*04	1/2"	1/2"	*=1 For Brass *=2 For Alluminium *=3 For Polipropilene *=6 For SS316
1850A*06	3/4"	3/4"	
1850A*08	1"	1"	
1850A*10	1"1/4	1"1/4	
1850A*12	1"1/2	1"1/2	
1850A*16	2	2	
1850A*20	2"1/2	2"1/2	
1850A*24	3"	3"	
1850A*32	4"	4"	

1851B | Raccordo Maschio Rapido con filetto Femmina



CODE	Rapido	Filetto Gas	Note
1851B*04	1/2"	1/2"	*=1 For Brass *=2 For Alluminium *=3 For Polipropilene *=6 For SS316
1851B*06	3/4"	3/4"	
1851B*08	1"	1"	
1851B*10	1"1/4	1"1/4	
1851B*12	1"1/2	1"1/2	
1851B*16	2	2	
1851B*20	2"1/2	2"1/2	
1851B*24	3"	3"	
1851B*32	4"	4"	

1851C | Raccordo Maschio Rapido con filetto Femmina



CODE	Rapido	Diametro Esterno Maschio portagomma	Note
1851C*04	1/2"	16	*=1 For Brass *=2 For Alluminium *=3 For Polipropilene *=6 For SS316
1851C*06	3/4"	21	
1851C*08	1"	26	
1851C*10	1"1/4	34	
1851C*12	1"1/2	42	
1851C*16	2	52	
1851C*20	2"1/2	68	
1851C*24	3"	80	
1851C*32	4"	103	

## 1851D | Raccordo Maschio Rapido con filetto Femmina



CODE	Rapido	Filetto Gas	Note
1851D*04	1/2"	1/2"	*=1 For Brass *=2 For Alluminium *=3 For Polipropilene *=6 For SS316
1851D*06	3/4"	3/4"	
1851D*08	1"	1"	
1851D*10	1"1/4	1"1/4	
1851D*12	1"1/2	1"1/2	
1851D*16	2	2	
1851D*20	2"1/2	2"1/2	
1851D*24	3"	3"	
1851D*32	4"	4"	



## 1850E | Raccordo Maschio Rapido con filetto Femmina

CODE	Rapido	Diametro Esterno Maschio portagomma	Note
1850E*04	1/2"	16	*=1 For Brass *=2 For Alluminium *=3 For Polipropilene *=6 For SS316
1850E*06	3/4"	21	
1850E*08	1"	26	
1850E*10	1"1/4	34	
1850E*12	1"1/2	42	
1850E*16	2	52	
1850E*20	2"1/2	68	
1850E*24	3"	80	
1850E*32	4"	103	



## 1850F | Raccordo Maschio Rapido con filetto Femmina

CODE	Rapido	Filetto Gas	Note
1850F*04	1/2"	1/2"	*=1 For Brass *=2 For Alluminium *=3 For Polipropilene *=6 For SS316
1850F*06	3/4"	3/4"	
1850F*08	1"	1"	
1850F*10	1"1/4	1"1/4	
1850F*12	1"1/2	1"1/2	
1850F*16	2	2	
1850F*20	2"1/2	2"1/2	
1850F*24	3"	3"	
1850F*32	4"	4"	



## 1852L | Raccordo Maschio Rapido con filetto Femmina

CODE	Rapido	Note
1852L*04	1/2"	*=1 For Brass *=2 For Alluminium *=3 For Polipropilene *=6 For SS316
1852L*06	3/4"	
1852L*08	1"	
1852L*10	1"1/4	
1852L*12	1"1/2	
1852L*16	2	
1852L*20	2"1/2	
1852L*24	3"	
1852L*32	4"	

## 1852P | Raccordo Maschio Rapido con filetto Femmina



CODE	Rapido	Note
1852P*04	1/2"	*=1 For Brass *=2 For Aluminium *=3 For Polipropilene *=6 For SS316
1852P*06	3/4"	
1852P*08	1"	
1852P*10	1"1/4	
1852P*12	1"1/2	
1852P*16	2	
1852P*20	2"1/2	
1852P*24	3"	
1852P*32	4"	

## 3009 | Guarnizioni Rapide



CODE	Rapido M	Materiali
GRRL**04	1/2"	1. **= 10 Buna N 2. **= 11 Viton 3. **= 12 PTFE 4. **= Viton Imbustato PTFE 5. **= Buna Imbustato PTFE
GRRL**06	3/4"	
GRRL**08	1"	
GRRL**10	1"1/4	
GRRL**12	1"1/2	
GRRL**16	2	
GRRL**20	2"1/2	
GRRL**24	3"	
GRRL**32	4"	

## 3007 | Guarnizioni Rapide



CODE	Diametro esterno TUBO
FS12	52-54
FS16	58-64
FS20	76-82
FS24	91-97
FS32	118-124